No.



8700045

THE UNITED STAYIES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Northrup King Co.

Concreas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, importing it, or exporting it, or using it in producing a hybrid or different ty therefrom, to the extent provided by the Plant Variety Protection Act 1.1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

CORN

17781

In Testimony Watercot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D. C. this 30th day of June in the year of our Lord one thousand nine hundred and eighty-seven.

Tulad E.

Secretary of Agriculture

Allost:

Lexall Hward Commissioner

Plant Variety Protection Office Agricultural Marketing Service

A NAME OF THE PARTY OF THE PART

U.S. DEPARTMENT OF AGRICULTURE			FORM APPROVED: OMB NO. 0581-0055				
ADDITION FOR DITART MADIETY REOTEOTION CERTIFICATE				Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is			
	EIY PROIE s on reverse)	:CIIC	ON CERTIFICATE	held d	confidential until certificate is issued is.C. 2426).		
1. NAME OF APPLICANT(S)		2. T	EMPORARY DESIGNATION	3. V	ARIETY NAME		
Northrup King Co.			L8102	778			
4. ADDRESS (Street and No. or R.F.D. No., City, State	te, and Zip Code	/ 5. P	HONE (Include area code)	FOR OFFICIAL USE ONLY			
P.O. Box 959			(612) 502 7222		PVPO NUMBER		
Minneapolis, MN 55440		1 "	612) 593-7333		8700045		
6. GENUS AND SPECIES NAME	7. FAMILY NA	AME (B	otanical)		DATE 0 9 1987		
	_			FILING	TIME 1,1/01		
<u>Zea mays</u> L.	a mays L. Gra		mineae		10:00 [A.M.] P.M.		
8. KIND NAME	9	. DAT	E OF DETERMINATION		AMOUNT FOR FILING		
	May 1982		9	DATE			
Corn			May 1982	RECEIVED	January 9, 1987		
10. IF THE APPLICANT NAMED IS NOT A "PERSO	N," GIVE FORM	GIVE FORM OF ORGANIZATION (Corpor		Ä	AMOUNT FOR CERTIFICATE		
partnership, association, etc.)				FEES	\$ 200		
Corporation				"	May 261987		
11. IF INCORPORATED, GIVE STATE OF INCORPORATION				12. [ATE OF INCORPORATION		
Delaware			1896				
13. NAME AND ADDRESS OF APPLICANT REPRES	SENTATIVE(S),	IF AN	Y, TO SERVE IN THIS APPLIC	OITA	N AND RECEIVE ALL PAPERS		
Robert W. Romig							
Northrup King Co. P.O. Box 959							
Minneapolis, MN 55440			PHONE (Include are	a code): (612) 593-7305		
14. CHECK APPROPRIATE BOX FOR EACH ATTA	CHMENT SUBM	ITTED	· · · · · <u>· · · · · · · · · · · · · · </u>				
a. Exhibit A, Origin and Breeding History of	the Variety (Se	e Secti	ion 52 of the Plant Variety Pro	tectio	Act.)		
b. Exhibit B, Novelty Statement.							
c. Exhibit C, Objective Description of Variety (Request form from Plant Variety Protection Office.) d. Exhibit D. Additional Description of Variety.							
 d. Exhibit D, Additional Description of Variety e. Exhibit E, Statement of the Basis of Appl 		in.					
15. DOES THE APPLICANT(S) SPECIFY THAT SEE	D OF THIS VAF						
SEED? (See Section 83(a) of the Plant Variety Pro	otection Act.)		Yes (If "Yes," answer				
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS? 17. IF "YES" TO ITEM 16, WHICH CLASSES OF PRODUCTION BEYOND BREEDER SEED?					CLASSES OF PRODUCTION		
Yes No			Foundation		egistered Certified		
18. DID THE APPLICANT(S) PREVIOUSLY FILE	FOR PROTEC	TION	OF THE VARIETY IN THE U	.S.?	Yes (If "Yes," give date)		
					X No		
19. HAS THE VARIETY BEEN RELEASED, OFFEI	RED FOR SALE	E, OR I	MARKETED IN THE U.S. OR	отне			
Hungary February 1986	}		as parent in hy		Yes (If "Yes," give names		
Canada February 1986) Kereas	ca .	ab parene in m				
U.S. February 1986		, , ,			No No		
20. The applicant(s) declare(s) that a viable samp plenished upon request in accordance with so				with	the application and will be re-		
The undersigned applicant(s) is (are) the own distinct, uniform, and stable as required in S Variety Protection Act.	ner(s) of this se ection 41, and	exually is enti	reproduced novel plant varietled to protection under the	riety, a e prov	and believe(s) that the variety is is is is on a Section 42 of the Plant		
Applicant(s) is (are) informed that false repr	esentation here	ein car	i jeopardize protection and	result	in penalties.		
SIGNATURE OF APPLICANT				To	ATE		
My Mh Alman -					January 5, 1987		
SIGNATURE OF APPLICANT	·			-	ATE		
					\mathcal{L}		

EXHIBIT A

Origin and Breeding History of Corn 778

The inbred corn variety 778 is derived from a cross Wll7/B37 Ht which we made at our Research Station in Glen Haven, Wisconsin in the summer of 1971. The variety Wll7 is a public inbred line developed by the Wisconsin Agricultural Experiment Station and is derived from a cross 643/Minnesota 13. The variety B37 Ht is a Northrup King Co. derived version of the public inbred line B37. Line B37 is a public inbred corn line derived from the Iowa Stiff Stalk Synthetic and released by the Iowa Agricultural Experiment Station. Our line has a dominant, single gene resistance to race 1 of Helminthosporium turcicum, northern corn leaf blight.

Following the cross, we selfed the F_1 at our station at Waimea, Hawaii in the 1971-72 winter season. We then selfed individual plants in the F_2 population at Glen Haven, Wisconsin in the summer of 1972. We selected for early silking, stalk quality and good earing in this and in subsequent generations.

In 1974, we grew the F_3 of 778 as an ear-row family at our station in London, Ontario. We made random sib-crosses in this family which we planted in 1975 at London, Ontario. In 1975, we selfed individual plants in the progeny rows from 1974. In 1976, we further made sib-crosses within progeny rows. In 1977, we selfed and selected one ear each in selected progeny rows. In 1978, we again selfed plants in progeny rows and selected three ears from two rows.

In 1979, we made further selfings in each of the three progeny rows. We again selfed in the progeny rows in 1980 and in 1981. On the basis of test cross results in 1980, we selected six ears from one progeny row in 1981 which we planted in six progeny rows in 1982. On the basis of uniformity, we bulked selfed seed from row L140286-1 and assigned the station identification L8102 to the line.

In 1983, on the basis of further performance in test crosses, we assigned the company identification of 778 to L8102 and simultaneously produced breeder seed by hand pollination.

Variety 778 has been maintained since by bulk increases in isolation. The variety is uniform and stable. We have observed no variants during four years of increase.

Variety 778 was offered for sale in hybrids in February 1986.

EXHIBIT B

Novelty Statement for the Variety

778 is most similar to the inbred line B37, a release from Iowa State University, Ames, Iowa. It can be differentiated from B37 by the following characteristics:

- 1. B37 has pink anthers; 778 has purple anthers.
- 2. B37 has dark to very dark green leaves; 778 has medium green leaves.
- 3. 778 reaches 50% silk approximately 150 heat units earlier than B37 from date of planting.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, POULTRY, GRAIN & SEED DIVISION BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY CORN (ZEA MAYS)

NAME OF APPLICANT(S)	FOR OFFICIAL USE ONLY
Northrup King Co.	P VPO NUMBER
ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) P.O. Box 959	VARIETY NAME OR TEMPORARY
Minneapolis, MN 55440	DESIGNATION
•	778
Place the appropriate number that describes the varietal character of this variety in the Place a zero in first box (e-s. 0 8 9 or 0 9) when number is either 99 or less or	boxes below. 9 or less.
1. TYPE:	
2 1 = SWEET 2 = DENT 3 = FLINT 4 = FLOUR 5 = P	OP 6=.ORNAMENTAL
2. REGION WHERE BEST ADAPTED IN THE U.S.A.: 1 = NORTHWEST 2 = NORTHCENTRAL 3 = NORTHEAST	4 = SOUTHEAST
5 = SOUTHCENTRAL 6 = SOUTHWEST 7 = MOST REGIONS	20 mm out 27 (m = 21 d d = 1
	comments'' (pg. 3) state how s were calculated)
DAYS FROM EMERGENCE TO 50% OF PLANTS IN SILK	0 0 HEAT UNITS
DAYS FROM 50% SILK TO OPTIMUM EDIBLE QUALITY	HEAT UNITS
	
DAYS FROM 50% SILK TO HARVEST AT 25% KERNEL MOISTURE	HEAT UNITS
4. PLANT:	
1 6 0 CM. HEIGHT (To tassel tip)	5 0 CM. EAR HEIGHT (To base of top ea
0 8 CM. LENGTH OF TOP EAR INTERNODE	
haranteres d	
Number of Tillers: Number of Ears Per Stalk	
Number of Tillers: Number of Ears Per Stalk	
1 = NONE 2 = 1-2 3 = 2-3 4 = 3 2 1 = SINGLE 2	= SLIGHT TWO-EAR TENDENCY
1 = NONE 2 = 1-2 3 = 2-3 4 = 3 2 1 = SINGLE 2	= SLIGHT TWO-EAR TENDENCY
1 = NONE 2 = 1-2 3 = 2-3 4 = > 3 2 1 = SINGLE 2 3 = STRONG TWO	= SLIGHT TWO-EAR TENDENCY
1 = NONE 2 = 1-2 3 = 2-3 4 = >3 2 1 = SINGLE 2 3 = STRONG TWO	= SLIGHT TWO-EAR TENDENCY -EAR TENDENCY 4 = THREE-EAR TENDENC
1 = NONE 2 = 1-2 3 = 2-3 4 = > 3 2 1 = SINGLE 2 3 = STRONG TWO Cytoplasm Type:	= SLIGHT TWO-EAR TENDENCY -EAR TENDENCY 4 = THREE-EAR TENDENC
1 1 = NONE 2 = 1-2 3 = 2-3 4 = >3 2 1 = SINGLE 2 3 = STRONG TWO Cytoplasm Type: 1 1 = NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER	= SLIGHT TWO-EAR TENDENCY -EAR TENDENCY 4 = THREE-EAR TENDENC
1 1 = NONE 2 = 1-2 3 = 2-3 4 = >3 2 1 = SINGLE 2 3 = STRONG TWO Cytoplasm Type: 1 1 = NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER 5. LEAF (Field Corn Inbred Examples Given):	= SLIGHT TWO-EAR TENDENCY -EAR TENDENCY
1 1 = NONE 2 = 1-2 3 = 2-3 4 = >3 2 1 = SINGLE 2 3 = STRONG TWO Cytoplasm Type: 1 1 = NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER 5. LEAF (Field Corn Inbred Examples Given): Color:	= SLIGHT TWO-EAR TENDENCY -EAR TENDENCY
1 = NONE 2 = 1-2 3 = 2-3 4 = >3 2 1 = SINGLE 2 3 = STRONG TWO Cytoplasm Type: 1	= SLIGHT TWO-EAR TENDENCY -EAR TENDENCY
1	= SLIGHT TWO-EAR TENDENCY -EAR TENDENCY 4 = THREE-EAR TENDENC (Specify) EEN (B14) 4 = VERY DARK GREEN (K1) (W22) 2 = MEDIUM (WF9)
1 1 = NONE 2 = 1-2 3 = 2-3 4 = >3 2 1 = SINGLE 2 3 = STRONG TWO Cytoplasm Type: 1 1 = NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER 5. LEAF (Field Corn Inbred Examples Given): Color: 2 1 = LIGHT GREEN (HY) 2 = MEDIUM GREEN (WF9) 3 = DARK GRI Angle from Stalk (Upper half): Sheath Pubscence: 1 1 = < 30° 2 = 30-60° 3 = > 60° 1 1 = LIGHT	= SLIGHT TWO-EAR TENDENCY -EAR TENDENCY 4 = THREE-EAR TENDENC (Specify) EEN (B14) 4 = VERY DARK GREEN (K1) (W22) 2 = MEDIUM (WF9)
1 1 = NONE 2 = 1-2 3 = 2-3 4 = >3 2 1 = SINGLE 2 3 = STRONG TWO Cytoplasm Type: 1 1 = NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER 5. LEAF (Field Corn Inbred Examples Given): Color: 2 1 = LIGHT GREEN (HY) 2 = MEDIUM GREEN (WF9) 3 = DARK GRI Angle from Stalk (Upper half): Sheath Pubscence: 1 1 = < 30° 2 = 30-60° 3 = > 60° Marginal Waves: Longitudinal Creases:	= SLIGHT TWO-EAR TENDENCY -EAR TENDENCY 4 = THREE-EAR TENDENC (Specify) EEN (B14) 4 = VERY DARK GREEN (K1) (W22) 2 = MEDIUM (WF9) (OH26)
1 1 = NONE 2 = 1-2 3 = 2-3 4 = >3 2 1 = SINGLE 2 3 = STRONG TWO Cytoplasm Type: 1 1 = NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER 5. LEAF (Field Corn Inbred Examples Given): Color: 2 1 = LIGHT GREEN (HY) 2 = MEDIUM GREEN (WF9) 3 = DARK GRI Angle from Stalk (Upper half): Sheath Pubscence: 1 1 = < 30° 2 = 30-60° 3 = > 60° 1 1 = LIGHT 3 = HEAVY	= SLIGHT TWO-EAR TENDENCY -EAR TENDENCY 4 = THREE-EAR TENDENC (Specify) EEN (B14) 4 = VERY DARK GREEN (K1 (W22) 2 = MEDIUM (WF9) (OH26) T (OH51) 2 = FEW (OH56A)
1 1 = NONE 2 = 1-2 3 = 2-3 4 = >3 2 1 = SINGLE 2 3 = STRONG TWO Cytoplasm Type: 1 1 = NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER 5. LEAF (Field Corn Inbred Examples Given): Color: 2 1 = LIGHT GREEN (HY) 2 = MEDIUM GREEN (WF9) 3 = DARK GRI Angle from Stalk (Upper half): Sheath Pubscence: 1 1 = < 30° 2 = 30-60° 3 = > 60° 1 1 = LIGHT 3 = HEAVY Marginal Waves: Longitudinal Creases: 1 1 = NONE (HY) 2 = FEW (WF9) 3 = MANY (OH7L) 2 1 = ABSENT	= SLIGHT TWO-EAR TENDENCY -EAR TENDENCY 4 = THREE-EAR TENDENC (Specify) EEN (B14) 4 = VERY DARK GREEN (K1 (W22) 2 = MEDIUM (WF9) (OH26) T (OH51) 2 = FEW (OH56A)
1 1 = NONE 2 = 1-2 3 = 2-3 4 = >3 2 1 = SINGLE 2 3 = STRONG TWO Cytoplasm Type: 1 1 = NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER 5. LEAF (Field Corn Inbred Examples Given): Color: 2 1 = LIGHT GREEN (HY) 2 = MEDIUM GREEN (WF9) 3 = DARK GRI Angle from Stalk (Upper half): Sheath Pubscence: 1 1 = < 30° 2 = 30-60° 3 = > 60° 1 1 = LIGHT 3 = HEAVY Marginal Waves: Longitudinal Creases: 1 1 = NONE (HY) 2 = FEW (WF9) 3 = MANY (OH7L) 2 1 = ABSEN' 3 = MANY (Width: Length:	= SLIGHT TWO-EAR TENDENCY -EAR TENDENCY 4 = THREE-EAR TENDENC (Specify) EEN (B14) 4 = VERY DARK GREEN (K1) (W22) 2 = MEDIUM (WF9) (OH26) T (OH51) 2 = FEW (OH56A)
1 1 = NONE 2 = 1-2 3 = 2-3 4 = > 3 2 1 = SINGLE 2 3 = STRONG TWO Cytoplasm Type: 1 1 = NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER 5. LEAF (Field Corn Inbred Examples Given): Color: 2 1 = LIGHT GREEN (HY) 2 = MEDIUM GREEN (WF9) 3 = DARK GRI Angle from Stalk (Upper half): Sheath Pubscence: 1 1 = < 30° 2 = 30-60° 3 = > 60° 1 = LIGHT 3 = HEAVY Marginal Waves: Longitudinal Creases: 1 1 = NONE (HY) 2 = FEW (WF9) 3 = MANY (OH7L) 2 1 = ABSENT 3 = MANY Width: COLOR TO THE STANDARD	= SLIGHT TWO-EAR TENDENCY -EAR TENDENCY 4 = THREE-EAR TENDENC (Specify) EEN (B14) 4 = VERY DARK GREEN (K1) (W22) 2 = MEDIUM (WF9) (OH26) T (OH51) 2 = FEW (OH56A)

	8700
•	
	Asc.
6. TASSEL:	(U) 4 2861 6 NAL
1 0	SECEIVED SMS SHOULD SHO
Branch An	ngle from Central Spike: Penduncle Length:
2	1 = < 30° 2 = 30-40° 3 = > 45° [3. 5] CM. FROM TOP LEAF TO BASAL BRANCHES
Pollen She	ed:
2	1 = LIGHT (WF9) 2 = MEDIUM 3 = HEAVY(KY21)
5	Anther Color: 1 = YELLOW 2 = PINK 3 = RED 4 = PURPLE 5 = GREEN Glume Color: 6 = OTHER (Specify)
Pollen Res	storation for Cytoplasms (o = Not Tested, 1 = Partial, 2 = Good)
0 "т"	0 "S" 0 "C" 0 OTHER (Specify Cytoplasm and degrees of restoration)
7 FAD (11	ded E. D. E. C. William Co. and Co.
7. EAN (Hu:	sked Ear Data Except When Stated Otherwise):
1 4	CM LENGTH 4 0 MM. MID-POINT 9 0 GM. WEIGHT
Kernel Rov	ns: 1 = INDISTINCT
	1 = STRAIGHT 2 = SLIGHTLY CURVED 3 = SPIRAL
Silk Color ((Exposed at Silking Stage):
1	1 = GREEN 2 = PINK 3 = SALMON 4 = RED
Husk Color	: FRESH) 1 = LIGHT GREEN 2 = DARK GREEN 3 = PINK
	}
6	DRY
3 1 = SI 3 = L	tion: (Harvest Stage) Husk Leaf: HORT (Ears Exposed) 2 = MEDIUM (Barely Covering Ear) ONG (8-10CM Beyond Ear Tip) ERY LONG (> 10 CM) 2 = MEDIUM (8-15 CM) 3 = LONG (> 15 CM)
Shank:	Position at Dry Husk Stage:
1 0	CM LONG 7 NO. OF INTERNODES 3 1 = UPRIGHT 2 = HORIZONTAL 3 = PENDENT
Taper:	Drying Time (Unhusked Ear):
	1 = SLIGHT 2 = AVERAGE 3 = EXTREME 2 1 = SLOW 2 = AVERAGE 3 = FAST
8. KERNEL (D Size (From E	Oried): Ear Mid-Point):
1 0	MM LONG
Shape Grade	
2	1 = < 20

The Mutants of Maize. 1968. Crop Science Society of America. Madison, Wisconsin.

Stringfield, G.H. Maize Inbred Lines of Ohio, Ohio A.E.S. Bul. 831. 1959.

Butler, D.R. 1954 - A System for the Classification of Corn Inbred Lines - PhD. Thesis, Ohio State University.

COMMENTS:

(Temp Maximum + Temp Minimum)/2 - 50 = Heat Units (Fahrenheit Temperature)

EXHIBIT E

Statement of the Basis of Applicant's Ownership

The inbred line 778 was developed by Northrup King Co. corn breeding staff from germplasm cited in Exhibit A of the application. Northrup King Co. believes this inbred line is novel as defined in the Plant Variety Protection Act, and therefore that Northrup King Co. is the sole owner of the variety.

State of Delaware

Office of the Secretary of State

I, EDWARD J. FREEL, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF AMENDMENT OF "NORTHRUP KING CO.", CHANGING ITS NAME FROM "NORTHRUP KING CO." TO "NOVARTIS SEEDS, INC.", FILED IN APIS OFFICE ON HEATHERTIETH DAY OF DECEMBER, A.D. 1994, A.9 O'BLOCK A.M.

THE NEW CASTLE COUNTY RECORDED OF DEED FOR RECORDING.



Edward J. Freel, Secretary of State

0829320 38100

960389892

AUTHENTICATION:

8267947

DATE:

12-31-96

CERTIFICATE OF AMENDMENT OF CERTIFICATE OF INCORPORATION

OF

NORTHRUP KING CO.

It is certified that:

- 1. The name of the corporation (hereinafter called the "Corporation") is Northrup King Co.
- 2. The Certificate of Incorporation of the Corporation is hereby amended by striking out Section 1 thereof and by substituting in lieu of said Section the following new Section.
 - 1. The name of the Corporation is Novartis Seeds, Inc.
- 3. The amendment of the certificate of incorporation herein certified has been duly adopted and written consent has been given in accordance with the provisions of Sections 228 and 242 of the General Corporation Law of the State of Delaware.
 - 4. The effective date of the amendment herein certified shall be January 1,1997.

Signed on December 27, 1996.

Edward C. Resler

Vice President & Secretary